This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Serial No. 09/863,078 December 10, 2003 Reply to the Office Action dated July 15, 2003 Page 2 of 9

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claim 1 (previously presented): A transformer comprising:

a bobbin having first and second tube-shaped members which are coaxial and integral with one another, said first tube-shaped member being located radially within said second tube-shaped member so as to form a gap located therebetween, and said first and second tube-shaped members being integral with and attached to a common base member;

a first winding comprising an air-core coil located in said gap between said first and second tube-shaped members of said bobbin; and

a second winding affixed to said second tube-shaped member of said bobbin.

Claim 2 (previously presented): A transformer according to Claim 1, wherein said air-core coil is not affixed to either said first or second tube-shaped members.

Claim 3 (original): A transformer according to Claim 1, wherein said first winding has a smaller number of turns than said second winding and serves as an input winding which allows a first current associated with a first voltage to flow therethrough, said second winding serving as an output winding which allows a second current associated with a second voltage, higher than said first voltage, to flow therethrough.

Claim 4 (withdrawn): A transformer according to one of Claim 3, further comprising a third winding wound on said second tube-shaped.

Serial No. 09/863,078 December 10, 2003 Reply to the Office Action dated July 15, 2003 Page 3 of 9

Claim 5 (withdrawn): A transformer according to Claim 4, wherein said third winding serves as a feedback winding which allows a current which is smaller than said second current to flow therethrough.

Claim 6 (withdrawn): A transformer according to one of Claim 1, further comprising a third winding, separate from said second winding, located on said second tube-shaped member.

Claim 7 (withdrawn): A transformer according to Claim 6, wherein said third winding serves as a feedback winding which allows a current which is smaller than said second current to flow therethrough.

Claim 8 (original): A transformer according to claim 1, wherein said first and second tube-shaped members are coupled together by a radially extending base member.

Claim 9 (original): A transformer according to claim 8, further including terminals extending from said radially extending base member.

Claim 10 (original): A transformer according to claim 9, wherein at least two of said terminals are coupled to said secondary winding.

Claim 11 (previously presented): A transformer comprising:

a bobbin having first and second axially extending members which are coaxial and integral with one another, said first member being located radially within said second member so as to form a gap therebetween, and said first and second tube-shaped members being integral with and attached to a common base member;

a first winding comprising an air-core coil located in said gap; and

Serial No. 09/863,078 December 10, 2003 Reply to the Office Action dated July 15, 2003 Page 4 of 9

a second winding affixed to said second member.

Claim 12 (previously presented): A transformer according to Claim 11, wherein said air-core coil is not affixed to either said first or said second axially extending members.

Claim 13 (original): A transformer according to Claim 11, wherein said first winding has a smaller number of turns than said second winding and serves as an input winding which allows a first current associated with a first voltage to flow therethrough, said second winding serving as an output winding which allows a second current associated with a second voltage, higher than said first voltage, to flow therethrough.

Claim 14 (withdrawn): A transformer according to one of Claim 13, further comprising a third winding wound on said second axially extending member.

Claim 15 (withdrawn): A transformer according to Claim 14, wherein said third winding serves as a feedback winding which allows a current which is smaller than said second current to flow therethrough.

Claim 16 (withdrawn): A transformer according to one of Claim 1, further comprising a third winding, separate from said second winding, located on said second axially extending member.

Claim 17 (withdrawn): A transformer according to Claim 16, wherein said third winding serves as a feedback winding which allows a current which is smaller than said second current to flow therethrough.

Serial No. 09/863,078 December 10, 2003 Reply to the Office Action dated July 15, 2003 Page 5 of 9

Claim 18 (original): A transformer according to claim 1, wherein said first and second axially extending members are coupled together by a radially extending base member.

Claim 19 (original): A transformer according to claim 18, further including terminals extending from said radially extending base member.

Claim 20 (original): A transformer according to claim 19, wherein at least two of said terminals are coupled to said secondary winding.